Bags, Tunnel, Sheaths

00

8 REF 0160

Customized Acessories for Isolators, RABS, Gloveboxes





Unique performance

Flexible and weldable plastic accessories, these objects are used for the storage and transfer of products, materials and substances from an environment specific to an environment difficult, or vice versa. Thanks to perfect mastery of construction, the airlock of the containment space is guaranteed.



Controlled manufacturing guarantees a perfect airlock



Protection of operators, safety of preparations and installations



Compatible to many solutions of depollution, asbestos removal and deconstruction



Environmental Protection when transferring products or materials

Areas of application



HEALTH - PHARMACEUTICAL



UNIVERSITY - RESEARCH



HEALTH - HOSPITAL





VETERINARY



NUCLEAR

FOOD INDUSTRY

Flexible Containment Accessories: available options





From the design to the realized part of Flexible Containment Accessories

From the start of your project, PIERCAN brings you the right solution, via a controlled process — design, manufacturing, control — where quality is at the core of all processes.

THE **DESIGN**



• Engineering Office

Analyzes your requests and accompanies you in the search for the most suitable solution including choice of material, product development, and prototyping.

• Economic Optimization

The study of solutions integrates both quality factors, time and production costs, thus facilitating economic optimization of your project.

MANUFACTURING



• Cut

Scissors with circular blades and vibrating blades are used for semi-automatic cutting (unit cut to pattern, mattress format or a template).

Weld

Made by high frequency welding which guarantees a perfect seal of the assemblies.

Properties

Compatible with cleaning agents, decontamination and disinfection.

CONTROL IN THREE STEPS



PLASTUNION LOT 10:15.2 REF 01.035 \$156 1500

1 • **Incoming inspection** of raw materials and tools with verification of design dimensions via our production management software.

2 • Control during production of physiochemical parameters by the quality control laboratory and production parameters by the operators.

3 • Control of the finished product

- Sealing control
- Weld control
- Marking allowing the identification of the controlled part for total traceability.

PIERCAN around the world



- Telephone +33 (0)1 45 88 66 27 (FR) +1 (760) 599 4543 (USA)
- E-mail piercan@piercan.com

Qualité

PIERCAN FRANCE

17-23 Rue Marcel Dassault - ZAE Marcel Dassault 93140 BONDY - FRANCE T +33 (0)1 45 88 66 27 - F +33 (0)1 45 80 98 30 piercan@piercan.com | www.piercan.com

PIERCAN USA, INC.

160 Bosstick Blvd 92069 SAN MARCOS, CA - USA T +1 (760) 599 4543 piercan@piercan.com | **www.piercan.com**

